

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	((construct\$5 or draw\$5 or creat\$5) near5 ((binary or numerical) near5 (diagram or graph or chart))) near5 ((criteria or condition or values) near5 (subscriber or user or consumer or customrer))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:03
S2	2	((construct\$5 or draw\$5 or creat\$5) near5 ((binary or numerical) near5 (diagram or graph or chart))) same ((criteria or condition or values) near5 (subscriber or user or consumer or customrer))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:04
S3	2	((construct\$5 or draw\$5 or creat\$5) near25 ((binary or numerical) near5 (diagram or graph or chart))) same ((criteria or condition or values) near25 (subscriber or user or consumer or customrer))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:05
S4	6	((construct\$5 or draw\$5 or creat\$5) near25 ((binary or numerical) near5 (diagram or graph or chart))) same ((criteria or condition or values) same(subscriber or user or consumer or customrer))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:05
S5	6	((construct\$5 or draw\$5 or creat\$5) near25 ((binary or numerical) near5 (diagram or graph or chart))) same ((criteria or condition or values) same (subscriber or user or consumer or customrer))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:05
S6	17	((construct\$5 or draw\$5 or creat\$5) same ((binary or numerical) near5 (diagram or graph or chart))) same ((criteria or condition or values) same (subscriber or user or consumer or customrer))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:05

S7	0	((construct\$5 or draw\$5 or creat\$5) same ((binary or numerical) near5 (diagram or graph or chart))) same ((criteria or condition or values) same (subscriber or user or consumer or customrer)) and ((Identify\$5 or determine or measure or find) near5 (logical near5 (effect or implication)) near5 (node or server or compter))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:08
S8	0	((construct\$5 or draw\$5 or creat\$5) same ((binary or numerical) near5 (diagram or graph or chart))) same ((criteria or condition or values) same (subscriber or user or consumer or customrer)) and ((Identify\$5 or determine or measure or find) same (logical near5 (effect or implication)) near5 (node or server or compter))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:08
S9	0	((construct\$5 or draw\$5 or creat\$5) same ((binary or numerical) near5 (diagram or graph or chart))) and ((criteria or condition or values) same (subscriber or user or consumer or customrer)) and ((Identify\$5 or determine or measure or find) same (logical near5 (effect or implication)) near5 (node or server or compter))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:08
S10	0	((construct\$5 or draw\$5 or creat\$5) same ((binary or numerical) near5 (diagram or graph or chart))) and ((criteria or condition or values) same (subscriber or user or consumer or customrer)) and ((Identify\$5 or determine or measure or find) same (logical near5 (effect or implication)) same (node or server or compter))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:08

S11	1	((construct\$5 or draw\$5 or creat\$5) same ((binary or numerical) near5 (diagram or graph or chart))) and ((criteria or condition or values) same (subscriber or user or consumer or customrer)) and ((Identify\$5 or determine or measure or find) same (logical near5 (effect or implication)) and (node or server or compter))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:10
S12	1	((construct\$5 or draw\$5 or creat\$5) same ((binary or numerical) near5 (diagram or graph or chart))) and ((criteria or condition or values) and (subscriber or user or consumer or customrer)) and ((Identify\$5 or determine or measure or find) same (logical near5 (effect or implication)) and (node or server or compter))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:10
S13	4	((construct\$5 or draw\$5 or creat\$5) same ((binary or numerical) near5 (diagram or graph or chart))) and ((criteria or condition or values) and (subscriber or user or consumer or customrer)) and ((Identify\$5 or determine or measure or find) and (logical near5 (effect or implication)) and (node or server or compter))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:25
S14	15	((construct\$5 or draw\$5 or creat\$5) and ((binary or numerical) near5 (diagram or graph or chart))) and ((criteria or condition or values) and (subscriber or user or consumer or customrer)) and ((Identify\$5 or determine or measure or find) and (logical near5 (effect or implication)) and (node or server or compter))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:26

S15	24	((construct\$5 or draw\$5 or creat\$5) and ((binary or numerical) same (diagram or graph or chart))) and ((criteria or condition or values) and (subscriber or user or consumer or customrer)) and ((Identify\$5 or determine or measure or find) and (logical near5 (effect or implication)) and (node or server or compter))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:28
S16	444	((construct\$5 or draw\$5 or creat\$5) and (diagram or graph or chart)) and ((criteria or condition or values) and (subscriber or user or consumer or customrer)) and ((Identify\$5 or determine or measure or find) and (logical near5 (effect or implication)) and (node or server or compter))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:28
S17	3	((construct\$5 or draw\$5 or creat\$5) near5 (diagram or graph or chart)) same ((criteria or condition or values) and (subscriber or user or consumer or customrer)) and ((Identify\$5 or determine or measure or find) and (logical near5 (effect or implication)) and (node or server or compter))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:29
S18	81	((construct\$5 or draw\$5 or creat\$5) near5 (diagram or graph or chart)) and ((criteria or condition or values) and (subscriber or user or consumer or customrer)) and ((Identify\$5 or determine or measure or find) and (logical near5 (effect or implication)) and (node or server or compter))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:29
S19	44	((construct\$5 or draw\$5 or creat\$5) near5 (diagram or graph or chart)) and ((criteria or condition or values) same (subscriber or user or consumer or customrer)) and ((Identify\$5 or determine or measure or find) and (logical near5 (effect or implication)) and (node or server or compter))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:29

S20	25	((construct\$5 or draw\$5 or creat\$5) near5 (diagram or graph or chart)) and ((criteria or condition or values) near5 (subscriber or user or consumer or customrer)) and ((Identify\$5 or determine or measure or find) and (logical near5 (effect or implication)) and (node or server or compter))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:32
S21	0	((construct\$5 or draw\$5 or creat\$5) near5 (diagram or graph or chart)) and ((criteria or condition or values) near5 (subscriber or user or consumer or customrer)) and ((Identify\$5 or determine or measure or find) and (logical near5 (effect or implication)) and (node or server or compter)) near5 ((evaluate or calculate or analyze) near5 (info\$5 or data))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:35
S22	5	((construct\$5 or draw\$5 or creat\$5) near5 (diagram or graph or chart)) and ((criteria or condition or values) near5 (subscriber or user or consumer or customrer)) and ((Identify\$5 or determine or measure or find) and (logical near5 (effect or implication)) and (node or server or compter)) and ((evaluate or calculate or analyze) near5 (info\$5 or data))	US-PGPUB; USPAT	OR	ON	2005/05/26 20:40
S23	58	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) near5 ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) near5 ((criteria or value or condition) near5 (messages or data or info\$5)))	US-PGPUB; USPAT	OR	ON	2005/05/26 21:05
S24	0	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) near5 ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) near5 ((criteria or value or condition) near5 (messages or data or info\$5))) near5 (node or end or server)	US-PGPUB; USPAT	OR	ON	2005/05/26 21:07

S25	46	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) near5 ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) near5 ((criteria or value or condition) near5 (messages or data or info\$5))) and (node or end or server)	US-PGPUB; USPAT	OR	ON	2005/05/26 21:07
S26	3	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) near5 ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) near5 ((criteria or value or condition) near5 (messages or data or info\$5))) and ((criteria or condition or value) near5 (info\$5 or data)) near5 (graph or chart or table)	US-PGPUB; USPAT	OR	ON	2005/05/26 21:10
S27	9	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) near5 ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) near5 ((criteria or value or condition) near5 (messages or data or info\$5))) and ((criteria or condition or value) near5 (info\$5 or data)) same (graph or chart or table)	US-PGPUB; USPAT	OR	ON	2005/05/26 21:13
S28	6	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) near5 ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) near5 ((criteria or value or condition) near5 (messages or data or info\$5))) and ((criteria or condition or value) near5 (info\$5 or data)) same (graph or diagram or chart)	US-PGPUB; USPAT	OR	ON	2005/05/26 21:14
S29	56	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) near5 ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) near5 ((criteria or value or condition) near5 (messages or data or info\$5))) and ((criteria or condition or value) near5 (info\$5 or data)) and (graph or diagram or chart)	US-PGPUB; USPAT	OR	ON	2005/05/26 21:14

S30	56	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) near5 ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) near5 ((criteria or value or condition) near5 (messages or data or info\$5))) and ((criteria or condition or value) near5 (info\$5 or data)) and (graph or diagram)	US-PGPUB; USPAT	OR	ON	2005/05/26 21:14
S31	2	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) near5 ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) near5 ((criteria or value or condition) near5 (messages or data or info\$5))) and ((criteria or condition or value) near5 (info\$5 or data)) and (graph or diagram) and "709"/\$	US-PGPUB; USPAT	OR	ON	2005/05/26 21:16
S32	0	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) near5 ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) near5 ((criteria or value or condition) near5 (messages or data or info\$5))) and ((criteria or condition or value) near5 (info\$5 or data)) and ((evaluate or analyze) near5 (graph or diagram))	US-PGPUB; USPAT	OR	ON	2005/05/26 21:17
S33	0	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) near5 ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) near5 ((criteria or value or condition) near5 (messages or data or info\$5))) and ((criteria or condition or value) near5 (info\$5 or data)) and ((evaluate or analyze) same (graph or diagram))	US-PGPUB; USPAT	OR	ON	2005/05/26 21:17

S34	23	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) near5 ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) near5 ((criteria or value or condition) near5 (messages or data or info\$5))) and ((criteria or condition or value) near5 (info\$5 or data)) and ((evaluate or analyze) and(graph or diagram))	US-PGPUB; USPAT	OR	ON	2005/05/26 21:18
S35	9	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) near5 ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) near5 ((criteria or value or condition) near5 (messages or data or info\$5))) and ((criteria or condition or value) near5 (info\$5 or data)) and ((evaluate or analyze) and(graph))	US-PGPUB; USPAT	OR	ON	2005/05/27 15:30
S36	16	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) same ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) near5 ((criteria or value or condition) near5 (messages or data or info\$5))) and ((criteria or condition or value) near5 (info\$5 or data)) and ((evaluate or analyze) and (graph))	US-PGPUB; USPAT	OR	ON	2005/05/27 15:34
S37	9	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) near5 ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) near5 ((criteria or value or condition) near5 (messages or data or info\$5))) and ((criteria or condition or value) near5 (info\$5 or data)) and ((evaluate or analyze) and (graph))	US-PGPUB; USPAT	OR	ON	2005/05/27 15:35

S38	0	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) near5 ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) near5 ((criteria or value or condition) near5 (messages or data or info\$5))) and ((evaluate or Analyze) near5 (info\$5 or data or message)) near5 (graph or chart or diagram)	US-PGPUB; USPAT	OR	ON	2005/05/27 15:37
S39	0	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) near5 ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) near35 ((criteria or value or condition) near35 (messages or data or info\$5))) and ((evaluate or Analyze) near5 (info\$5 or data or message)) near5 (graph or chart or diagram)	US-PGPUB; USPAT	OR	ON	2005/05/27 15:37
S40	0	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) near5 ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) same ((criteria or value or condition) near35 (messages or data or info\$5))) and ((evaluate or Analyze) near5 (info\$5 or data or message)) near5 (graph or chart or diagram)	US-PGPUB; USPAT	OR	ON	2005/05/27 15:48
S41	0	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) near5 ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) and ((criteria or value or condition) near35 (messages or data or info\$5))) and ((evaluate or Analyze) near5 (info\$5 or data or message)) near5 (graph or chart or diagram)	US-PGPUB; USPAT	OR	ON	2005/05/27 15:49
S42	0	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) same ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) and ((criteria or value or condition) near35 (messages or data or info\$5))) and ((evaluate or Analyze) near5 (info\$5 or data or message)) near5 (graph or chart or diagram)	US-PGPUB; USPAT	OR	ON	2005/05/27 15:54

S43	6	((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value)) and ((idetif\$7 or notic\$5 or pointing or find\$5 or determin\$5) and ((criteria or value or condition) near35 (messages or data or info\$5))) and ((evaluate or Analyze) near5 (info\$5 or data or message)) near5 (graph or chart or diagram)	US-PGPUB; USPAT	OR	ON	2005/05/27 15:59
S44	0	((evaluate or Analyze) near5 (info\$5 or data or message)) near5 (graph or chart or diagram) same ((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value))	US-PGPUB; USPAT	OR	ON	2005/05/27 16:00
S45	7	((evaluate or Analyze) near5 (info\$5 or data or message)) near5 (graph or chart or diagram) and ((filter\$7 near5 (messages or data or info\$5)) near5 (criteria or condition or value))	US-PGPUB; USPAT	OR	ON	2005/05/27 16:03
S46	12	((evaluate or Analyze) near5 (info\$5 or data or message)) near5 (graph or chart or diagram) and ((filter\$7 near5 (messages or data or info\$5)) same (criteria or condition or value))	US-PGPUB; USPAT	OR	ON	2005/05/27 16:35
S47	3	(("5201046") or ("6405191") or ("5899985")).PN.	US-PGPUB; USPAT	OR	OFF	2005/05/27 16:36